

# INVITATION TO BID FOR Other Property, Plant and Equipment

(Name of Project

- The CITY GOVERNMENT OF ZAMBOANGA, through the AB FY 2018 intends to apply the sum of FIFTEEN MILLION PESOS
  (P15,000,000.00) ONLY being the Approved Budget for the Contract (ABC) to payments under the contract Other Property, Plant
  and Equipment (PR No. 100-19-04-1063). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The City Government of Zamboanga now invites bids for 03 units X-Ray with Conveyor and 03 units Walk Through Metal Detector. Delivery of the GOODS is required for Ninety (90) Calendar Days. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act". Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Interested Bidders may obtain further information from City Government of Zamboanga in the Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) and inspect the Bidding Documents at the address given below from 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on May 09, 2019 to May 29, 2019 from the address below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of P3,000.00. The method of payment will be Cash payable to the City Treasurer's Office. The Bidding Documents shall be received personally by the prospective Bidder or his authorized representative. It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that bidders shall pay the fee for the Bidding Documents not later than the submission of their bids.
- 6. The **City Government of Zamboanga** will hold a Pre-bid Conference on **May 17, 2019 at 10:00 AM** at City Mayors Procurement, Acquisition and Awards Division, Conference Room Villalobos St., Z.C. which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before May 29, 2019 at 10:00 AM. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.

  Bid opening shall be on May 29, 2019 at 10:00 AM at City Mayor's Procurement, Acquisition & Awards Division, Conference Room Villalobos Street Zamboanga City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.
- All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration or** at least one other form of the following: cash, cashier's /manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of P300,000.00 or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of P750,000.00 or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.

The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.

Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.

To be delivered in the CGSO-Office of the City Mayor – Peace and Order Program.

- The City Government of Zamboanga reserves the right to accept or reject any bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
- 10. Bidders are advised to use the BID FORM at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
- 11. For Further information please refer to:

Mr. Ronald A. Vicete
Procurement, Acquisition and Awards Division
Villalobos Street,
Zamboanga City
Tel. & TeleFax No. (062) 992-7763

### **BID FORM**

		Date:	
TO: CITY GOVERNMENT OF ZAM Address: Villalobos Street ZAMBOANG		Invitation to E	3id No: <b>Goods 19-0509-0072</b>
Gentlemen and/or Ladies:			
	, we, the undersigned, offer to supply/deli		itation No. Goods 19-0509-0072 the receipt of the receipt of the Property, Plant and Equipment in conformit
			or
	(total Bid amount in v	ords and figures	
such other sums as may be ascerta	ained in accordance with the Schedule of	Prices attached	herewith and made part of this Bid.
We undertake, if our Bio Requirements.	d is accepted, to deliver the goods in a	cordance with t	he delivery scheduled specified in the Schedule of
If our Bid is accepted, w Bidding Documents.	ve undertake to provide a performance	ecurity in the fo	orm, amounts, and within the times specified in the
	s Bid for the Bid Validity Period specified ny time before the expiration of that perio		for ITB Clause 18.2 and it shall remain binding
Commissions or gratuities, if any, pare listed below:	paid or to be paid by us to agents relating	to this Bid, and	to contract execution if we are awarded the contract
Name and Address of Agent	Amount and Currency		Purpose of Commission or gratuity
_			-
(if none, state "None")			
Until a formal Contract is shall be binding upon us.	s prepared and executed, this Bid, toget	er with your wr	itten acceptance thereof and your Notice of Award
We understand that you	are not bound to accept the lowest or any	Bid you may red	eeive.
We certify/confirm that w	e comply with the eligibility requirements	s per <b>ITB</b> Claus	se 5 of the Bidding Documents.
•		•	rt: as the owner and sole proprietor or authorized (Name of Bidder), has the full power and the latter's behalf for the Other Property, Plant and
Equipment of the City Governme	ent of Zamboanga [for partnerships, corp	orations, cooper	ratives, or joint ventures, insert: is granted full powe
submit the bid, and to sign and e Government of Zamboanga.	execute the ensuing contract on the late	r's behalf for <u>C</u>	(Name of Bidder), to participate  Other Property, Plant and Equipment of the Cit
We acknowledge that fa ground for the rejection of our bid.	ullure to sign each and every page of the	s Bid Form, inc	cluding the attached Schedule of Prices, shall be a
Dated this	day of	20	
(signature)		(in capacity o	f)
Duly authorized to sign Bid and on	behalf of		

### **REQUEST FOR QUOTATION**

Name of Bidder \_\_\_\_\_\_ Invitation to Bid Number: Goods 19-0509-0072 Page 1 of 3

1	2	3	4		5	6	7	8	9	10
Item De	scription	Country of origin	Qua	ntity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
Penetrate Definition: 32 AV Penetration: 32 mm Steel B Monitor: 17 inch LED System Function: High I Auxilliary detect, TIP, Lu timer, X-ray emitting time zoom in Film Safety: ASA/ISO 160 Tube Voltage: 140Kv Cooling: Seal Oil Cooling Single Inspection Dosage B Radiation Leak Dosage: 0.1 Package Size: L1990mm x Package Weight: 450KG Power Consumption: 1kVA Noise: 53.8 dB(A) Offer Higher Wire Resolutary detector True-color scanning image Innovative biometric ide	X-ray Inspection System 305mm  It: 1000 mm Adequate distribution) (0.1 mm metal wire) al φ 1.0mm \ Vertical φ 2.0mm VG oard  Density Alarm, Explosive/Drug ggage counter, System running r, Training, 64 times continuous 0 standard of film safety 100% Late: ≤ 1.0μGy μGy/h (5cm from the surface) W990mm x H1320mm  Attion with HAMAMATSU® X- entity function for operators, system and preventing operator		03	Units						

Submitted by:

(Signature over Printed Name)

Name of the Representative of the Bidder:

Position:

Name of Bidder:

### REQUEST FOR QUOTATION

Name of Bidder \_\_\_\_\_\_ Invitation to Bid Number: Goods 19-0509-0072 Page 2 of 3

1	2	3	4		5	6	7	8	9	10
Item	Z Description	Country of	Quar		Unit price	Transportation	Sales and	Cost of Incidental	Total Price, per	Total Price
пеш	Description	origin	Quai	ility	EXW per	and Insurance	other taxes	Services, if	unit (col	delivered Final
		Origin			item	and all other	payable if	applicable, per item	5+6+7+8)	Destination
					пеш	costs incidental	Contract is	applicable, per item	3+0+1+0)	(Col.9) x (col 4)
							awarded, per			
						to delivery, per				
0	WALK THROUGH METAL DETECTOR		03	Units		item	item			
2.	<b>Brand New Walk Through Metal Detector</b>		03	Units						
	Stainless steel metal bracket with adjustable viewing angle									
	and avoids light reflection									
	Back-Light brightness can be adjusted to make interface clearer									
	Adapts 15V low voltage power to protect the human body									
	Switch is equipped with an indicator light of power supply									
	status									
	Supports multiple detection zone modes, including modes									
	of a single detection zone, 6 detection zones, 11 detection									
	zones and 33 detections zones									
	0-300 adjustable sensitivity levels of Zone and overall									
	0-255 adjustable sensitivity of Anti-shock									
	Accurately detects multiple metal objects simultaneously									
	Both sides of the LED indicator can be clearly seated in the									
	actual metal position									
	Different alarm intensities are displayed on the control									
	panel depending on size and shape of the metal									
	Accurate detection of weapons and contraband, while									
	filtering watches, coins, belts, buttons and other harmless									
	items									
	7" LCD HD display interface									
	Harmless to human body, heart pacemake, pregnant									
	women, magnetic floppy disk, recording tapes, etc.									
	0-9s Audio Alarm duration setting									
	0-9s LED alarm delay, 0-20 Alarm Volume, 16 Alarm									
	Tones									
	Supports recording of number of hours of security check									
	Fault fast detection, easier to find faults and facilitate									
	maintenance									
Purpose	: For official use in the Office of the City Mayor-Peace and Order Progran	<b>n</b> , this city.								

Submitted by:	
(Signature over Printed Name)	
Name of the Representative of the Bidder:	Date:
Position:	
Name of Bidder:	

REQUEST FOR QUOTATION

Name of Bidder \_\_\_\_\_\_ Invitation to Bid Number: Goods 19-0509-0072 Page 3 of 3

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
Durnaga	Counter for Alarm and People Synchronous Sound & LED Alarm Excellent Anti-Reference Ability and Stability Input Voltage: 100 V – 240 V, 50/60 Hz Working Temperature: -20 °C ~ + 50 °C  Conditions:  1. With on-site training for operation and maintenance by the supplier  2. For SLCC – Must have successfully completed a project similar to or any security equipment/devices and/or solutions amounting to at least 50% of the ABC  3. Must Submit Manufacturers Certificate authorizing the distributor and bidder to bid for the project. The certificate must also include spare parts availability and services warranty.  4. Must Submit Authorized Distributor Certificate exclusively authorizing the bidder for the project.  5. Must Submit Manufacturers Certificate stating that their brand has been supplied at any Philippines seaports/airports. This shall be required to ensure good and quality brands will be offered by the bidder.  Estimated Cost: P4,500,000.00	a this situ							
rurpose	. For official use in the office of the City mayor-reace and Order Program	ii, tiils city.							

Submitted by:		
(Signature over Printed Name)		
Name of the Representative of the Bidder:	Date:	
Position:		
Name of Bidder:		

### SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Qua	ntity	Total	Delivered, Days/Weeks/Months
1.	X-RAY WITH CONVEYOR  Brand New Dual Energy X-ray Inspection System  Tunnel Size: W507mm x H305mm  Speed: 0.20 m/s  Height of Transmission Belt: 1000 mm  Maximum Load: ≤ 120kg (Adequate distribution)  Wire Resolution: 38 AWG (0.1 mm metal wire)  Space Definition: Horizontal φ 1.0mm \ Vertical φ 2.0mm  Penetrate Definition: 32 AWG  Penetration: 32 mm Steel Board  Monitor: 17 inch LED  System Function: High Density Alarm,  Explosive/Drug Auxilliary detect, TIP, Luggage counter, System running timer, X-ray emitting timer,  Training, 64 times continuous zoom in  Film Safety: ASA/ISO 1600 standard of film safety  Tube Voltage: 140Kv  Cooling: Seal Oil Cooling / 100%  Single Inspection Dosage Rate: ≤ 1.0μGy  Radiation Leak Dosage: 0.1μGy/h (5cm from the surface)  Package Size: L1990mm x W990mm x H1320mm  Package Weight: 450KG  Power Consumption: 1kVA  Noise: 53.8 dB(A)  Offer Higher Wire Resolution with HAMAMATSU®  X-ray detector  True-color scanning image  Innovative biometric identity function for operators, improving the security of system and preventing operator from getting password  Estimated Cost: P10,500,000.00	03	Units		
2.	WALK THROUGH METAL DETECTOR Brand New Walk Through Metal Detector Stainless steel metal bracket with adjustable viewing angle and avoids light reflection Back-Light brightness can be adjusted to make interface clearer Adapts 15V low voltage power to protect the human body Switch is equipped with an indicator light of power supply status Supports multiple detection zone modes, including modes of a single detection zone, 6 detection zones, 11 detection zones and 33 detections zones 0-300 adjustable sensitivity levels of Zone and overall 0-255 adjustable sensitivity of Anti-shock Accurately detects multiple metal objects simultaneously Both sides of the LED indicator can be clearly seated in the actual metal position Different alarm intensities are displayed on the control panel depending on size and shape of the metal Accurate detection of weapons and contraband, while filtering watches, coins, belts, buttons and other harmless items 7" LCD HD display interface Harmless to human body, heart pacemake, pregnant women, magnetic floppy disk, recording tapes, etc. 0-9s Audio Alarm duration setting 0-9s LED alarm delay, 0-20 Alarm Volume, 16 Alarm Tones Supports recording of number of hours of security check	03	Units		

Fault f mainte	ast detection, easier to find faults and facilitate nance	<u> </u>		
Count	er for Alarm and People	ļ		
	onous Sound & LED Alarm	<u> </u>		
-	ent Anti-Reference Ability and Stability	 		
	Voltage: 100 V − 240 V, 50/60 Hz	<u> </u>		
	ng Temperature: -20 °C ~ + 50 °C	<u> </u>		
Condi	tions:	ļ		
1.	With on-site training for operation and	<u> </u>		
	maintenance by the supplier	 		
2.	For SLCC - Must have successfully	 		
	completed a project similar to or any security	<u> </u>		
	equipment/devices and/or solutions	<u> </u>		
	amounting to at least 50% of the ABC	 		
3.		<u> </u>		
	authorizing the distributor and bidder to bid	 		
	for the project. The certificate must also	<u> </u>		
	include spare parts availability and services	<u> </u>		
4.	warranty.	<u> </u>		
4.	Trust Suchin Trusticing Significant	<u> </u>		
	Certificate exclusively authorizing the bidder for the project.	<u> </u>		
5.	1 0	<u> </u>		
٥.	that their brand has been supplied at any	<u> </u>		
	Philippines seaports/airports. This shall be	<u> </u>		
	required to ensure good and quality brands	 		
	will be offered by the bidder.	  -		
Estima	ated Cost: P4,500,000.00	  -		
2501111	1000 2 19000900000	  -		

Signature over Printed Name

### **TECHNICAL SPECIFICATIONS**

Item	Description	BRAND NAME	Statement of Compliance Statement of Compliance
			Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1 (a)(ii)
1.	X-RAY WITH CONVEYOR  Brand New Dual Energy X-ray Inspection System  Tunnel Size: W507mm x H305mm  Speed: 0.20 m/s  Height of Transmission Belt: 1000 mm  Maximum Load: ≤ 120kg (Adequate distribution)  Wire Resolution: 38 AWG (0.1 mm metal wire)  Space Definition: Horizontal φ 1.0mm \ Vertical φ 2.0mm  Penetrate Definition: 32 AWG  Penetration: 32 mm Steel Board  Monitor: 17 inch LED  System Function: High Density Alarm,  Explosive/Drug Auxilliary detect, TIP, Luggage counter, System running timer, X-ray emitting timer,  Training, 64 times continuous zoom in  Film Safety: ASA/ISO 1600 standard of film safety  Tube Voltage: 140Kv  Cooling: Seal Oil Cooling / 100%  Single Inspection Dosage Rate: ≤ 1.0μGy  Radiation Leak Dosage: 0.1μGy/h (5cm from the surface)  Package Size: L1990mm x W990mm x H1320mm  Package Weight: 450KG  Power Consumption: 1kVA  Noise: 53.8 dB(A)  Offer Higher Wire Resolution with  HAMAMATSU® X-ray detector  True-color scanning image  Innovative biometric identity function for operators, improving the security of system and preventing operator from getting password  Estimated Cost: P10,500,000.00		
2.	WALK THROUGH METAL DETECTOR Brand New Walk Through Metal Detector Stainless steel metal bracket with adjustable viewing angle and avoids light reflection Back-Light brightness can be adjusted to make interface clearer Adapts 15V low voltage power to protect the human body Switch is equipped with an indicator light of power supply status Supports multiple detection zone modes, including modes of a single detection zone, 6 detection zones, 11 detection zones and 33 detections zones 0-300 adjustable sensitivity levels of Zone and		

overall

0-255 adjustable sensitivity of Anti-shock

Accurately detects multiple metal objects simultaneously

Both sides of the LED indicator can be clearly seated in the actual metal position

Different alarm intensities are displayed on the control panel depending on size and shape of the metal

Accurate detection of weapons and contraband, while filtering watches, coins, belts, buttons and other harmless items

7" LCD HD display interface

Harmless to human body, heart pacemake, pregnant women, magnetic floppy disk, recording tapes, etc.

0-9s Audio Alarm duration setting

0-9s LED alarm delay, 0-20 Alarm Volume, 16 Alarm Tones

Supports recording of number of hours of security check

Fault fast detection, easier to find faults and facilitate maintenance

#### **Counter for Alarm and People**

Synchronous Sound & LED Alarm Excellent Anti-Reference Ability and Stability Input Voltage: 100 V - 240 V, 50/60 Hz Working Temperature:  $-20 \,^{\circ}\text{C} \sim +50 \,^{\circ}\text{C}$ 

#### **Conditions:**

- **1.** With on-site training for operation and maintenance by the supplier
- 2. For SLCC Must have successfully completed a project similar to or any security equipment/devices and/or solutions amounting to at least 50% of the ABC
- **3.** Must Submit Manufacturers Certificate authorizing the distributor and bidder to bid for the project. The certificate must also include spare parts availability and services warranty.
- **4.** Must Submit Authorized Distributor Certificate exclusively authorizing the bidder for the project.
- 5. Must Submit Manufacturers Certificate stating that their brand has been supplied at any Philippines seaports/airports. This shall be required to ensure good and quality brands will be offered by the bidder.

**Estimated Cost: P4,500,000.00** 

Signature over Printed Name

### SCHEDULE OF WARRANTY

This serves as warranty for **Other Property, Plant and Equipment** in the City Government of Zamboanga.

ITEM NO.	DESCRIPTION	QI	JANTITY	WARRANTY
1.	Tunnel Size: W507mm x H305mm Speed: 0.20 m/s Height of Transmission Belt: 1000 mm Maximum Load: ≤ 120kg (Adequate distribution) Wire Resolution: 38 AWG (0.1 mm metal wire) Space Definition: Horizontal φ 1.0mm \ Vertical φ 2.0mm Penetrate Definition: 32 AWG Penetration: 32 mm Steel Board Monitor: 17 inch LED System Function: High Density Alarm, Explosive/Drug Auxilliary detect, TIP, Luggage counter, System running timer, X-ray emitting timer, Training, 64 times continuous zoom in Film Safety: ASA/ISO 1600 standard of film safety Tube Voltage: 140Kv Cooling: Seal Oil Cooling / 100% Single Inspection Dosage Rate: ≤ 1.0μGy Radiation Leak Dosage: 0.1μGy/h (5cm from the surface) Package Size: L1990mm x W990mm x H1320mm Package Weight: 450KG Power Consumption: 1kVA Noise: 53.8 dB(A) Offer Higher Wire Resolution with	<b>QI</b>	Units	WARRANTY
	HAMAMATSU® X-ray detector True-color scanning image Innovative biometric identity function for operators, improving the security of system and preventing operator from getting password Estimated Cost: P10,500,000.00	02	Haite	
2.	WALK THROUGH METAL DETECTOR Brand New Walk Through Metal Detector Stainless steel metal bracket with adjustable viewing angle and avoids light reflection Back-Light brightness can be adjusted to make interface clearer Adapts 15V low voltage power to protect the human body Switch is equipped with an indicator light of power supply status Supports multiple detection zone modes, including modes of a single detection zone, 6 detection zones, 11 detection zones and 33 detections zones 0-300 adjustable sensitivity levels of Zone and overall 0-255 adjustable sensitivity of Anti-shock Accurately detects multiple metal objects simultaneously Both sides of the LED indicator can be clearly seated in the actual metal position Different alarm intensities are displayed on the control panel depending on size and shape of the metal Accurate detection of weapons and contraband, while filtering watches, coins, belts, buttons and other harmless items 7" LCD HD display interface Harmless to human body, heart pacemake, pregnant women, magnetic floppy disk, recording tapes, etc.	03	Units	

0-9s Audio Alarm duration setting 0-9s LED alarm delay, 0-20 Alarm Volume, 16 Alarm Tones Supports recording of number of hours of security check Fault fast detection, easier to find faults and facilitate maintenance  Counter for Alarm and People	
Synchronous Sound & LED Alarm	
Excellent Anti-Reference Ability and Stability	
Input Voltage: 100 V – 240 V, 50/60 Hz	
Working Temperature: -20 °C ~ + 50 °C	
Conditions:	
1. With on-site training for operation and	
maintenance by the supplier	
2. For SLCC – Must have successfully	
completed a project similar to or any	
security equipment/devices and/or	
solutions amounting to at least 50% of	
the ABC	
3. Must Submit Manufacturers Certificate	
authorizing the distributor and bidder to bid for the project. The certificate must	
also include spare parts availability and	
services warranty.	
<b>4.</b> Must Submit Authorized Distributor	
Certificate exclusively authorizing the	
bidder for the project.	
5. Must Submit Manufacturers Certificate	
stating that their brand has been	
supplied at any Philippines seaports/airports. This shall be required	
to ensure good and quality brands will	
be offered by the bidder.	
Estimated Cost: P4,500,000.00	

**Bidder Signature Over Printed Name** 

### Bid Data Sheet

ITB Clause	
1.1	The Procuring Entity is CITY GOVERNMENT OF ZAMBOANGA The name of the Contract is: Other Property, Plant and Equipment The identification number of the Contract is Goods 19-0509-0072
1.2	The lot (s) and reference is/are" [insert name]
2	The funding Source is: The Government of the Philippines (GOP) through <b>AB FY 2018 in the amount of P15,000,000.00</b> The name of the Project is: Other Property, Plant and Equipment
3.1	No Further Instruction
5.1	No Further Instruction
5.2	None of the circumstances mentioned in the <b>ITB</b> Clause exists in this Project. Foreign bidders, except those falling under <b>ITB</b> Clause 5.2 (b), may not participate in this project.
5.4	The Bidder must have completed, within the period specified in the Invitation to Bid and ITB Clause 12. (a)(ii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
	For this purpose, similar contracts shall refer to: No further instructions.
7	No further instructions.
8.1	"Subcontracting is not allowed."
	NOTE: The contractor shall undertake not less than 20% of the contracted works with its own resources.
8.2	Not Applicable
9.1	The Procuring Entity will hold a pre-bid conference for this Project on  May 17, 2019 at 10:00 A.M.  Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD)  Conference Room, Villalobos Street, Zamboanga City
10.1	The Procuring Entity's address is"
	Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) Villalobos St., Zone IV, Zamboanga City Mr. Ronald A. Vicete, OIC-BAC Secretariat Telefax: (062) 992-7763
12.1 (a)	Nor further instructions.
12.1 (a) (i)	No other acceptable proof of registration is recognized.
12.1 (a) (iii)	The bidder's SLCC similar to the contract to be bid should have been completed within [state relevant period as provided in the Invitation to Bid] prior to the deadline for the submission and receipt of the bids.
13.1	"No additional requirements"
13.1 (b) 13.1 (c)	No further instructions.  "No additional requirements"
13.1 (c)	The ABC is P15,000,000.00. Any bid with a financial component exceeding this amount shall not be accepted.
15.4 (a) (iv)	No incidental services are required.
15.4 (b)	"Not Applicable"
16.1 (b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.
16.3	Not applicable.
17.1	Bids will be valid until: 120 CALENDAR DAYS.
18.1	The Bid security shall be a Bid Securing Declaration or any of the following forms and amounts:
	1. The amount of not less than P300,000.00; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	<ol> <li>The amount of not less than <u>P450,000.00</u>; if bid security is in Surety bond; or</li> <li>Any combination of the foregoing proportionate to the share of form with respect to total amount of security.</li> </ol>
18.2	The bid security shall be valid until 120 CALENDAR DAYS
	Each bidder shall submit one (1) original and Two (2) copies of the first and second components of its bid.
20.3	
20.3	The address for submission of bids is Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD), Villalobos Street, Zone IV Zamboanga City
21	Zone IV Zamboanga City The deadline for submission of bids is on or before May 29, 2019 at 10:00AM.
	Zone IV Zamboanga City  The deadline for submission of bids is on or before May 29, 2019 at 10:00AM.  The place of bid opening is Office of the City Mayor-Procurement, Acquisition and Award Division (PAAD) Conference Room, Villalobos Street, Zamboanga City.
21	Zone IV Zamboanga City  The deadline for submission of bids is on or before May 29, 2019 at 10:00AM.  The place of bid opening is Office of the City Mayor-Procurement, Acquisition and Award Division (PAAD)

28.3 (a)	Grouping and Evaluation of Lots –			
	Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a singl0 contract. For example:  Option 1 – Each item to be evaluated and compared with other Bids separately and recommended for contract award separately.  Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract.			
	Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts.			
	Select one of the following paragraphs, delete the other.			
	Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.			
	Or			
	Partial bids are allowed. All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.			
	In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.			
	[Insert grouping of lots]			
28.3 (b)	Bid modification is not allowed.			
28.4	No further instructions.			
29.2(a)	"No additional requirement"			
29.2(b)	Only tax returns files and taxes paid through BIR Electronic Filing and Payment System (EFPS) shall be accepted.			
	Note: The latest income and business tax return are those within the last six months preceding the date of bid submission.			
29.2(d)	No further instructions.			
32.4(g)	No additional requirement"			

## Special Conditions of Contract

GCC Clause					
1.1 (g)	The Pro	ocuring Entity is City Government of Zamboanga, City Hall, Zamboanga City.			
1.1 (i)	The Supplier is [to be inserted at the time of contract award].				
1.1 (j)	The Funding Source is: The Government of the Philippines (GOP) through AB FY 2018 in the amount of P15,000,000.00				
1.1 (k)	The Project Site is: Zamboanga City				
<u> </u>	"The Project sites are defined in Section VI. Schedule of Requirements"				
5.1	The Procuring Entity's address for Notices is: Villalobos St, Zamboanga City Mr. Ronald A. Vicete, OIC BAC Secretariat Telefax: (062) 992-7763				
6.2	The Supplier's address for Notices is: [Insert address including, name of contact, fax and telephone number]  List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:				
	Delivery and Documents –				
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:				
	For Goods Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered CGSO, Tetuan, Zamboanga City. In accordance with INCOTERMS."				
		ds Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered [insert place of destination]. title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."			
		of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details ng and/or other documents to be furnished by the Supplier are as follows:			
	For Goods supplied from within the Philippines:				
	Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:				
	(i)	Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;			
	(ii)	Original and four copies delivery receipt/note, railway receipt, or truck receipt;			
	(iii)	Original Supplier's factory inspection report;			
	(iv)	Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;			
	(v)	Original and four copies of the certificate of origin (for imported Goods);			
	(vi)	Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;			
	(vii)	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and			
	(viii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.			
	For Goods supplied from abroad:				
	Contract etc. Upor	pment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge in delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the stary requirements of any letter of credit issued taking precedence:			
	(i)	Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;			
	(ii)	Original and four copies of the negotiable, clean shipped on board bill of lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading;			
	(iii)	Original Supplier's factory inspection report;			
	(iv)	Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;			
	(v)	Original and four copies of the certificate of origin (for imported Goods);			
	(vi)	Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site;			
	(vii)	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and			
	(viii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.			

For purposes of this Clause the Procuring Entity's Representative at the Project Site is [insert name(s)].

#### Incidental Services -

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

Select appropriate requirements and delete the rest.

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- (a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- (b) in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts required are listed in Section VI. Schedule of Requirements and the cost thereof are included in the Contract Price

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period of *Three (3) Months*.

Other spare parts and components shall be supplied as promptly as possible, but in any case within [insert appropriate time period] of placing the order.

### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

**Final Destination** 

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.			
	Insurance –			
	The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptably the Procuring Entity.			
	Transportation –			
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or so other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, a cost thereof shall be included in the Contract Price.			
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined a Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, be arranged by the Supplier, and related costs shall be included in the Contract Price.			
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the por of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> in accordance with <b>GCC</b> Clause 22.			
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.			
	Patent Rights –			
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.			
10.4	Not applicable.			
10.5	State "Payment using LC is not allowed."			
	or			
	If payment using LC is allowed, state "The amount of provisional sum is Pesos (PhP)." [Note: The provisional sum shall not exceed 10% of the ABC, and shall form part of the ABC].			
13.4 (c)	No further Instructions.			
16.1	The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.			
17.3	If the Goods pertain to Expendable Supplies: Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.			
	If the Goods pertain to Non-expendable Supplies: One (1) year after acceptance by the Procuring Entity of the delivered Goods.			
17.4	The period for correction of defects in the warranty period is Seven (07) Calendar Days.			
21.1	State here "No additional provision." or, if the Supplier is a joint venture, "All partners to the joint venture shall be jointly and severally liable to the Procuring Entity."			

REPUBLIC OF THE PHILIPPINES ) CITY OF ) S.S xx	
BID-SECURING DECLARATION Invitation to Bid/Request for Expression of Interes	st No. ¹ : [Insert reference number]
To: City Government of Zamboanga, BIDS AND AWARDS COMMITTEE Villalobos Street, Zamboanga City	
I/We <sup>11</sup> , the undersigned, declare that:	
I/We understand that: according to your conditions.  Securing Declaration.	ditions, bids must be supported by a Bid Security, which may be in the form of Bid
of two (2) years upon receipt of your Blackl the Guidelines on the Use of Bid Securing procuring entity for the commission of act	ally disqualified from bidding for any contract with any procuring entity for a period listing order; and, (b) I/we will pay the applicable fine provided under Section 6 of Declaration, within fifteen (15) days from receipt of the written demand by the sresulting to the enforcement of the bid securing declaration under Sections of the IRR of RA 9184; without prejudice to other legal action the government may
I/We understand that this Bid-Securing Deck	aration shall cease to be valid on the following circumstances:
(a) Upon expiration of the bickvalidity pe	eriod, or any extension thereof pursuant to your request;
timely file a request for reconsiderati	post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to ion or (ii) I/we filed a waiver to avail of said right; in the Lowest Calculated Responsive Bid, and I/we have furnished the performance
IN WITNESS WHEREOF, IWe have hereur	nto set my/our hand/s this day of [month] [year] at [place of execution].  [Insert NAME OF BIDDER'S AUTHORIZED
personally known to me and was/were identified by m	REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant  this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are through competent evidence of identity as defined in the 2004 Rules on Notaria to me his/her [insert type of government identification card used], with his/he
Witness my hand and seal this day of [n	month] [year].
	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]
Doc. No Page No Book No	

Series of \_\_\_\_\_