

# INVITATION TO BID FOR <u>Disaster Response and Rescue Equipment</u>

(Name of Project

- The CITY GOVERNMENT OF ZAMBOANGA, through the AB FY 2017 intends to apply the sum of TWO MILLION PESOS (P2,000,000.00) ONLY being the Approved Budget for the Contract (ABC) to payments under the contract Disaster Response and Rescue Equipment (PR No. 100-19-06-1561). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The City Government of Zamboanga now invites bids for 01 unit Drilling Rig with Complete Accessories and Trailer. Delivery of the GOODS is required for Thirty (30) Calendar Days. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act". Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Interested Bidders may obtain further information from City Government of Zamboanga in the Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) and inspect the Bidding Documents at the address given below from 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>August 28, 2019 to September 17, 2019</u> from the address below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of <u>P2,000.00</u>. The method of payment will be <u>Cash payable to the City Treasurer's Office</u>. The Bidding Documents shall be received personally by the prospective Bidder or his authorized representative. It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that bidders shall pay the fee for the Bidding Documents not later than the submission of their bids.
- 6. The City Government of Zamboanga will hold a Pre-bid Conference on September 05, 2019 at 10:00 AM at City Mayors Procurement, Acquisition and Awards Division, Conference Room Villalobos St., Z.C. which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before **September 17**, **2019 at 10:00 AM**. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.

  Bid septime shall be an **September 17**, **2019 at 10:00 AM** at City Mayor's Programment, Assuring the Acceptable forms and in the amount stated in ITB Clause 18.
  - Bid opening shall be on **September 17, 2019 at 10:00 AM** at City Mayor's Procurement, Acquisition & Awards Division, Conference Room Villalobos Street Zamboanga City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration or** at least one other form of the following: cash, cashier's /manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of **P40,000.00** or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of **P100,000.00** or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.

The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.

Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.

#### To be delivered in the CGSO-Office of the City Disaster Risk Reduction & Management

- 9. The City Government of Zamboanga reserves the right to accept or reject any bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
- 10. Bidders are advised to use the BID FORM at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
- 11. For Further information please refer to:

Mr. Ronald A. Vicete
Procurement, Acquisition and Awards Division
Villalobos Street,
Zamboanga City
Tel. & TeleFax No. (062) 992-7763



Duly authorized to sign Bid and on behalf of \_\_

### **BID FORM**

Date: Invitation to Bid No: Goods 19-0828-0106  TO: CITY GOVERNMENT OF ZAMBOANGA  Address: Villalobos Street ZAMBOANGA CITY
Gentlemen and/or Ladies:
Having examined the Bidding Documents including Bid Bulletin Numbers Solicitation No. Goods 19-0828-0106 the receipt which is hereby duly acknowledge, we, the undersigned, offer to supply/deliver/perform Disaster Response and Rescue Equipment conformity with the said Bidding Documents for the sum of
or (total Bid amount in words and figures)
such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.
We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery scheduled specified in the Schedule Requirements.
If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.
We agree to abide by this Bid for the Bid Validity Period specified in BDS provision for ITB Clause 17.1 and it shall remain binding upous and may be accepted at any time before the expiration of that period.
Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract execution if we are awarded to the contract execution in the contract execution is a contract execution in the contract execution is also as a contract execution in the contract execution is a contract execution in the contract execution is a contract execution in the contract execution is also as a contract execution in the contract execution is also as a contract execution in the contract execution is a contract execution in the contract execution is a contract execution in the contract execution is also as a contract execution in the contract execution is also as a contract execution in the contract execution is also as a contract execution in the contract execution is also as a contract execution in the contract execution is a contract execution in the contract execution is also as a contract execution in the contract execution is a contract execution in the contract ex
Name and Address of Agent Amount and Currency Purpose of Commission or gratuity
(if none, state "None")
Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award shall be binding upon us.
We understand that you are not bound to accept the lowest or any Bid you may receive.
We certify/confirm that we comply with the eligibility requirements as per ITB Clause 5 of the Bidding Documents.
We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorize representative of(Name of Bidder), has the full power ar authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Disaster Response and Authority to Pisaster Response and Authority to Pisaster Response and Pisaster </u>
Rescue Equipment of the City Government of Zamboanga [for partnerships, corporations, cooperatives, or joint ventures, insert: is grantefull power and authority by the
participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Disaster Response and Rescue Equipment</u> of the <u>City Government of Zamboanga</u> .
. We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be ground for the rejection of our bid.
Dated this day of20
(signature) (in capacity of)

#### **REQUEST FOR QUOTATION**

Name of Bidder \_\_\_\_\_\_ Invitation to Bid Number: Goods 19-0828-0106 Page 1 of 2

1	2	3	4		5	6	7	8	9	10
Item	Description	Country of origin	Quar	ntity	Unit price EXW per item	Transportation and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (Col.9) x (col 4)
1.	Drilling Rig with Complete Accessories and Trailer Specifications:  Max. Drilling Depth: 200m  Max. Open Hole Dia: 500mm  Max. Open Hole Dia: 500mm  End Hole Dia:: 75mm  Drilling Rod (mm): 42,50,60  Drilling Angle: 0-90°  Spindle Forward Speed (r/mm): 64,128,287,557  Spindle Stroke (mm): 450  Spindle inner dia (mm): 62  Spindle lifting Capacity (kg): 6000  Spindle Max. Torque (N/M): 2400  Main Winch (Hydraulics):  Single Line Lifting Speed (m/s): 17,35,75,151  Tightrope dia (mm): 12  Hoist Single Line Lifting Cap: 1800kg  Roller Diameter (mm): 245  Roller Cubic Measure: 70m  Features:  1. The trailer mounted Water Drilling Rig is equipped with wheel running gear and hydraulic oil cylinder pillar, transferring, convenient and easy to drill horizontal		01	Unit						
Purpose	adjustment  2. With hydraulic feed mechanism, improve drilling efficiency  For official use in the Office of the City Disaster Risk Reduction & Man.	agement this cit	ı,							

Submitted by:\_\_\_\_\_
(Signature over Printed Name)

Name of the Representative of the Bidder:\_\_\_\_\_\_ Date:\_\_\_\_\_
Position:\_\_\_\_\_
Name of Bidder:\_\_\_\_\_

#### **REQUEST FOR QUOTATION**

Name of Bidder \_\_\_\_\_\_ Invitation to Bid Number: Goods 19-0828-0106 Page 2 of 2

		<del>, , , , , , , , , , , , , , , , , , , </del>		Γ	T	T	T		
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of	Quantity	Unit price	Transportation	Sales and	Cost of Incidental	Total Price, per	Total Price delivered Final
		origin		Exw per	and Insurance	other taxes	Services, if	unit (col	Destination
				item	and all other	payable if	applicable, per item	5+6+7+8)	(Col.9) x (col 4)
					costs incidental	Contract is			(001.5) X (001 4)
					to delivery, per	awarded, per			
					item	item			
	3. Advanced hydraulic system design makes the								
	control handles concentrated, compact layout								
	reasonable, easy operation, flexible and								
	reliable; can realize remote speed change,								
	more humanization operation								
	4. It is equipped with a pressure gauge								
	instruction at the bottom of the bore pressure,								
	easy to master the hole								
	5. The drilling rig has 8 grades forward rotation								
	speed, wide speed adjustable range								
	6. Compact Mechanical transmission structure,								
	light weight, large diameter of spindle bore,								
	hydraulic stabilizer legs, good rigidity								
	7. Falling tower for hydraulic operation,								
	convenient and reliable								
	8. Diesel Engine with electric start, reduce labor								
	intensity								
	9. It is most popular machine meeting most								
	requirements for a combination drilling								
	machine able to complete rural water supply								
	holes in sediments and hard rock								
	10. High efficiency and Low cost								
	10. Then efficiency and Low cost								
	Accessories and other Conditions:								
	1. One (1) nit Tricome Bit with Sub Adaptor								
	2. Includes Training and Commissioning of the								
	unit								
Durnoco	For official use in the Office of the City Disaster Risk Reduction & Mana	gement this city	,						
ruipuse.	i oi oiliolal use ili tile oilice oi tile oity bisastel Kisk Reduction & Mana	igenieni, ins city	•						

Submitted by:	
(Signature over Printed Name)	
Name of the Representative of the Bidder:	Date:
Position:	
Name of Bidder:	

#### SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Qua	entity	Total	Delivered, Days/Weeks/Months	
1.	Drilling Rig with Complete Accessories and Trailer Specifications:  Max. Drilling Depth: 200m  Max. Orilling Dia:: 500mm  Max. Open Hole Dia:: 500mm  End Hole Dia:: 75mm  Drilling Angle: 0-90°  Spindle Forward Speed (r/mm): 64,128,287,557  Spindle Stroke (mm): 42,50,60  Drilling Angle: 0-90°  Spindle inner dia (mm): 62  Spindle lifting Capacity (kg): 6000  Spindle inner dia (mm): 62  Spindle lifting Speed (m/s): 17,35,75,151  Trightrope dia (mm): 12  Hoist Single Line Lifting Cap: 1800kg  Roller Diameter (mm): 245  Roller Cubic Measure: 70m  Features:  1. The trailer mounted Water Drilling Rig is equipped with wheel running gear and hydraulic oil cylinder pillar, transferring, convenient and easy to drill horizontal adjustment  2. With hydraulic feed mechanism, improve drilling efficiency  3. Advanced hydraulic system design makes the control handles concentrated, compact layout reasonable, easy operation, flexible and reliable; can realize remote speed change, more humanization operation  4. It is equipped with a pressure gauge instruction at the bottom of the bore pressure, easy to master the hole  5. The drilling rig has 8 grades forward rotation speed, wide speed adjustable range  6. Compact Mechanical transmission structure, light weight, large diameter of spindle bore, hydraulic stabilizer legs, good rigidity  7. Falling tower for hydraulic operation, convenient and reliable  8. Diesel Engine with electric start, reduce labor intensity  9. It is most popular machine meeting most requirements for a combination drilling machine able to complete rural water supply holes in sediments and hard rock  10. High efficiency and Low cost  Accessories and other Conditions:  1. One (1) nit Tricome Bit with Sub Adaptor  2. Includes Training and Commissioning of the unit	01	Unit			

### TECHNICAL SPECIFICATIONS

	NAME	Bidders must state here either "Comply" or "Not Comply" against each of the individual
		parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1 (a)(ii)
1. Drilling Rig with Complete Accessories and Trailer Specifications:  Max. Drilling Depth: 200m Max. Drilling Dia.: 500mm Max. Open Hole Dia: 500mm End Hole Dia: 75mm Drilling Rod (mm): 42,50,60 Drilling Rod (mm): 42,50,60 Drilling Angle: 0-90° Spindle Forward Speed (r/mm): 64,128,287,557 Spindle Stroke (mm): 450 Spindle inner dia (mm): 62 Spindle lifting Capacity (kg): 6000 Spindle Max. Torque (N/M): 2400 Main Winch (Hydraulics): Single Line Lifting Speed (m/s): 17,35,75,151 Tightrope dia (mm): 12 Hoist Single Line Lifting Cap: 1800kg Roller Diameter (mm): 245 Roller Cubic Measure: 70m  Features:  1. The trailer mounted Water Drilling Rig is equipped with wheel running gear and hydraulic oil cylinder pillar, transferring, convenient and easy to drill horizontal adjustment 2. With hydraulic feed mechanism, improve drilling efficiency 3. Advanced hydraulic system design makes the control handles concentrated, compact layout reasonable, easy operation, flexible and reliable; can realize remote speed change, more humanization operation 4. It is equipped with a pressure gauge instruction at the bottom of the bore pressure, easy to master the hole 5. The drilling rig has 8 grades forward rotation speed, wide speed adjustable range 6. Compact Mechanical transmission structure, light weight, large diameter of		

7. Falling tower for hydraulic operation, convenient and reliable	
8. Diesel Engine with electric start, reduce labor intensity	
9. It is most popular machine meeting most requirements for a combination drilling machine able to complete rural water supply holes in sediments and hard rock  10. High efficiency and Low cost	
Accessories and other Conditions:  1. One (1) nit Tricome Bit with Sub Adaptor  2. Includes Training and Commissioning of the unit	

Signature over Printed Name

### **SCHEDULE OF WARRANTY**

This serves as warranty for **Disaster Response and Rescue Equipment** in the City Government of Zamboanga.

ITEM NO.	DESCRIPTION	Ql	JANTITY	WARRANTY
1.	Drilling Rig with Complete Accessories and Trailer Specifications:  Max. Drilling Depth: 200m Max. Open Hole Dia: 500mm Max. Open Hole Dia: 500mm End Hole Dia: 75mm Drilling Rod (mm): 42,50,60 Drilling Angle: 0-90° Spindle Forward Speed (r/mm): 64,128,287,557 Spindle Stroke (mm): 450 Spindle inner dia (mm): 62 Spindle lifting Capacity (kg): 6000 Spindle Max. Torque (N/M): 2400 Main Winch (Hydraulics): Single Line Lifting Speed (m/s): 17,35,75,151 Tightrope dia (mm): 12 Hoist Single Line Lifting Cap: 1800kg Roller Diameter (mm): 245 Roller Cubic Measure: 70m  Features:  1. The trailer mounted Water Drilling Rig is equipped with wheel running gear and hydraulic oil cylinder pillar, transferring, convenient and easy to drill horizontal adjustment 2. With hydraulic feed mechanism, improve drilling efficiency 3. Advanced hydraulic system design makes the control handles concentrated, compact layout reasonable, easy operation, flexible and reliable; can realize remote speed change, more humanization operation  4. It is equipped with a pressure gauge instruction at the bottom of the bore pressure, easy to master the hole 5. The drilling rig has 8 grades forward rotation speed, wide speed adjustable range 6. Compact Mechanical transmission structure, light weight, large diameter of spindle bore, hydraulic	<b>QU</b>	Unit	WARRANTY
	6. Compact Mechanical transmission structure, light weight, large			

### **Bid Data Sheet**

ITB Clause	
1.1	The Procuring Entity is CITY GOVERNMENT OF ZAMBOANGA
1.2	The name of the Contract is: Disaster Response and Rescue Equipment  The identification number of the Contract is Goods 19-0828-0106  The lot (s) and reference is/are" [insert name]
2	The funding Source is: The Government of the Philippines (GOP) through AB FY 2017 in the amount of P2,000,000.00
	The name of the Project is: Disaster Response and Rescue Equipment
3.1	No Further Instruction
5.1	No Further Instruction
5.2	None of the circumstances mentioned in the <b>ITB</b> Clause exists in this Project. Foreign bidders, except those falling under <b>ITB</b> Clause 5.2 (b), may not participate in this project.
5.4	The Bidder must have completed, within the period specified in the Invitation to Bid and ITB Clause 12. (a)(ii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
	For this purpose, similar contracts shall refer to: No further instructions.
7	No further instructions.
8.1	"Subcontracting is not allowed."
8.2	NOTE: The contractor shall undertake not less than 20% of the contracted works with its own resources.  Not Applicable
9.1	The Procuring Entity will hold a pre-bid conference for this Project on
	September 05, 2019 at 10:00 A.M. Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) Conference Room, Villalobos Street, Zamboanga City
10.1	The Procuring Entity's address is"
	Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) Villalobos St., Zone IV, Zamboanga City Mr. Ronald A. Vicete, OIC-BAC Secretariat Telefax: (062) 992-7763
12.1	Nor further instructions.
12.1 (a) (i)	No other acceptable proof of registration is recognized.
12.1 (a) (iii)	The bidder's SLCC similar to the contract to be bid should have been completed within [state relevant period as provided in the Invitation to Bid] prior to the deadline for the submission and receipt of the bids.
13.1 (b)	No further instructions.
13.1 (c)	"No additional requirements"
13.2	The ABC is <b>P2,000,000.00</b> . Any bid with a financial component exceeding this amount shall not be accepted.
15.4 (a) (iv)	No incidental services are required.
15.4 (b) (i)	"Not Applicable"
15.4 (b) (ii)	"No incidental services are required"
16.1 (b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.
16.3	Not applicable.
17.1	Bids will be valid until: 120 CALENDAR DAYS.
18.1	The Bid security shall be a Bid Securing Declaration or any of the following forms and amounts:
	1. The amount of not less than P40,000.00; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	<ol> <li>The amount of not less than P100,000.00; if bid security is in Surety bond; or</li> <li>Any combination of the foregoing proportionate to the share of form with respect to total amount of security.</li> </ol>
18.2	The bid security shall be valid until 120 CALENDAR DAYS
20.3	Each bidder shall submit one (1) original and Two (2) copies of the first and second components of its bid.
21	The address for submission of bids is Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD), Villalobos Street, Zone IV Zamboanga City
	The deadline for submission of bids is on or before <b>September 17, 2019 at 10:00AM</b> .
24.1	The place of bid opening is Office of the City Mayor-Procurement, Acquisition and Award Division (PAAD)  Conference Room, Villalobos Street, Zamboanga City.
	The date and time of bid opening is <b>September 17, 2019 at 10:00AM.</b>
24.2	No further instructions.
27.1	No further instructions.

28.3 (a)	Grouping and Evaluation of Lots –
	Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a singl0 contract. For example:
	Option 1 – Each item to be evaluated and compared with other Bids separately and recommended for contract award separately.
	Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract.
	Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts.
	Select one of the following paragraphs, delete the other.
	Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.
	Or
	Partial bids are allowed. All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.
	In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.
	[Insert grouping of lots]
28.3 (b)	Bid modification is not allowed.
28.4	No further instructions.
29.2(a)	"No additional requirement"
29.2(b)	Only tax returns files and taxes paid through BIR Electronic Filing and Payment System (EFPS) shall be accepted.
	Note: The latest income and business tax return are those within the last six months preceding the date of bid submission.
29.2(d)	No further instructions.
32.4(g)	No additional requirement"

## Special Conditions of Contract

GCC Clause		
1.1 (g)	The Proc	curing Entity is City Government of Zamboanga, City Hall, Zamboanga City.
1.1 (i)	The Supplie	er is [to be inserted at the time of contract award].
1.1 (j)	The Fundin	g Source is: The Government of the Philippines (GOP) through AB FY 2017 in the amount of P2,000,000.00
1.1 (k)		ect Site is: Zamboanga City
T. 4		ect sites are defined in Section VI. Schedule of Requirements"
5.1	Villalobos Mr. Ronald	ing Entity's address for Notices is: St, Zamboanga City I A. Vicete, OIC BAC Secretariat 62) 992-7763
6.2	List here a	er's address for Notices is: [Insert address including, name of contact, fax and telephone number]  ny additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be nended, or retained depending on its applicability to this Contract:
	Delivery ar	nd Documents –
	have the m	es of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall eanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The rms of this Contract shall be as follows:
		Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered <b>CGSO</b> , <b>Tetuan</b> , <b>Zamboanga City</b> . In e with INCOTERMS."
		Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered [insert place of destination]. the will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
		the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details and/or other documents to be furnished by the Supplier are as follows:
	For Goods	supplied from within the Philippines:
	Upon delive Entity:	ery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring
	(i)	Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
	(ii)	Original and four copies delivery receipt/note, railway receipt, or truck receipt;
	(iii)	Original Supplier's factory inspection report;
	(iv)	Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
	(v)	Original and four copies of the certificate of origin (for imported Goods);
	(vi)	Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;
	(vii)	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and
	(viii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.
	For Goods	supplied from abroad:
	Contract No etc. Upon d	nent, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including umber, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge lelivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the ry requirements of any letter of credit issued taking precedence:
	(i)	Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
	(ii)	Original and four copies of the negotiable, clean shipped on board bill of lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading;
		Original Supplier's factory inspection report;
		Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;
		Original and four copies of the certificate of origin (for imported Goods);
		Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site;
	, ,	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and
	(viii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.

For purposes of this Clause the Procuring Entity's Representative at the Project Site is [insert name(s)].

#### Incidental Services -

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

Select appropriate requirements and delete the rest.

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

#### Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- (b) in the event of termination of production of the spare parts:
  - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
  - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts required are listed in Section VI. Schedule of Requirements and the cost thereof are included in the Contract Price

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period of *Three (3) Months*.

Other spare parts and components shall be supplied as promptly as possible, but in any case within [insert appropriate time period] of placing the order.

#### Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

**Final Destination** 

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
	Insurance –
	The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.
	Transportation –
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> in accordance with <b>GCC</b> Clause 22.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Patent Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.4	Not applicable.
10.5	State "Payment using LC is not allowed."
	or
	If payment using LC is allowed, state "The amount of provisional sum is Pesos (PhP)." [Note: The provisional sum shall not exceed 10% of the ABC, and shall form part of the ABC].
13.4 (c)	No further Instructions.
16.1	The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.
17.3	If the Goods pertain to Expendable Supplies: Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.
	If the Goods pertain to Non-expendable Supplies: One (1) year after acceptance by the Procuring Entity of the delivered Goods.
17.4	The period for correction of defects in the warranty period is Seven (07) Calendar Days.
21.1	State here "No additional provision." or, if the Supplier is a joint venture, "All partners to the joint venture shall be jointly and severally liable to the Procuring Entity."

REPUBLIC OF THE PHILIPPINES ) CITY OF ) S.S xx	
BID-SECURING DECLARATION Invitation to Bid/Request for Expression of Interes	st No. ¹ : [Insert reference number]
To: City Government of Zamboanga, BIDS AND AWARDS COMMITTEE Villalobos Street, Zamboanga City	
I/We <sup>11</sup> , the undersigned, declare that:	
I/We understand that: according to your conditions.  Securing Declaration.	ditions, bids must be supported by a Bid Security, which may be in the form of Bid
of two (2) years upon receipt of your Blackl the Guidelines on the Use of Bid Securing procuring entity for the commission of act	ally disqualified from bidding for any contract with any procuring entity for a period isting order; and, (b) I/we will pay the applicable fine provided under Section 6 of Declaration, within fifteen (15) days from receipt of the written demand by the s resulting to the enforcement of the bid securing declaration under Sections of the IRR of RA 9184; without prejudice to other legal action the government may
I/We understand that this Bid-Securing Deck	aration shall cease to be valid on the following circumstances:
(a) Upon expiration of the bickvalidity pe	eriod, or any extension thereof pursuant to your request;
timely file a request for reconsiderati	post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to ion or (ii) I/we filed a waiver to avail of said right; in the Lowest Calculated Responsive Bid, and I/we have furnished the performance
IN WITNESS WHEREOF, IWe have hereur	nto set my/our hand/s this day of [month] [year] at [place of execution].  [Insert NAME OF BIDDER'S AUTHORIZED
personally known to me and was/were identified by m	REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant  this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are through competent evidence of identity as defined in the 2004 Rules on Notaria to me his/her [insert type of government identification card used], with his/he
Witness my hand and seal this day of [n	month] [year].
	NAME OF NOTARY PUBLIC  Serial No. of Commission  Notary Public for until  Roll of Attorneys No  PTR No [date issued], [place issued]  IBP No [date issued], [place issued]
Doc. No Page No Book No	

Series of \_\_\_\_\_