INVITATION TO RE-BID FOR Other Transportation Equipment

(Name of Project

- The CITY GOVERNMENT OF ZAMBOANGA, through the SB# 01 FY 2019 intends to apply for re-bid the sum of EIGHT MILLION PESOS (P8,000,000.00) ONLY being the Approved Budget for the Contract (ABC) to payments under the contract Other Transportation Equipment (PR No. 100-20-05-0945). Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The City Government of Zamboanga now invites bids for 04 units Ambulance with Complete Accessories. Delivery of the GOODS is required for Ten (10) Calendar Days. Bidders should have completed within a period of ten (10) years from the date of submission and receipt of bids, a contract similar to the Project, with a value of at least (50%) of the ABC and to meet other eligibility requirements stated in the Eligibility Documents. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act". Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA 5183.
- 4. Interested Bidders may obtain further information from City Government of Zamboanga in the Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) and inspect the Bidding Documents at the address given below from 8:00 AM to 5:00 PM.
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **September 07, 2020 to September 28, 2020** from the address below and upon payment of a non-refundable fee for the Bidding Documents, pursuant to the latest guidelines issued by the GPPB, in the amount of **P8,000.00**. The method of payment will be **Cash payable to the City Treasurer's Office**. The Bidding Documents shall be received personally by the prospective Bidder or his authorized representative. It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and the website of the Procuring Entity, provided that bidders shall pay the fee for the Bidding Documents not later than the submission of their bids.
- 6. The City Government of Zamboanga will hold a Pre-bid Conference on <u>September 15, 2020 at 10:00 AM</u> at City Mayors Procurement, Acquisition and Awards Division, Conference Room Villalobos St., Z.C. which shall be open to prospective bidders.
- 7. Bids must be duly received by the BAC Secretariat at the address below on or before <u>September 28, 2020 at 10:00 AM</u>. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18.
 Bid opening shall be on <u>September 28, 2020 at 10:00 AM</u> at City Mayor's Procurement, Acquisition & Awards Division, Conference Room Villalobos Street Zamboanga City. Bids will be opened in the presence of the bidders' representatives who choose to attend at the address below. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a Bid Security which shall be a **Bid Securing Declaration or** at least one other form of the following: cash, cashier's /manager's check, bank draft/guarantee confirmed by a Universal/Commercial Bank, Irrevocable Letter of Credit issued by a Universal/Commercial Bank or from other bank certified by the Bangko Sentral ng Pilipinas as authorized to issue such financial instrument, provided however that it shall be confirmed or authenticated by a Universal/Commercial Bank if issued by a foreign bank in the amount of P160,000.00 or Surety Bond callable upon demand issued by a Surety or Insurance Company duly certified by the Insurance Commission as authorized to issue such security in the amount of P400,000.00 or any combination of the foregoing in the amount proportionate to share of form with respect to total amount of security.

The Bid Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity.

Bidders are required to indicate the BRAND NAME and/or NAME OF MANUFACTURER of GOODS offered/quoted, when appropriate.

To be delivered in the **CGSO-Office of the City Health**

- 9. The City Government of Zamboanga reserves the right to accept or reject any bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
- 10. Bidders are advised to use the BID FORM at the back of this ITB. Failure to do so would lead to non-acceptance of the bid.
- **11.** For Further information please refer to:

Mr. Ronald A. Vicete
Procurement, Acquisition and Awards Division
Villalobos Street,
Zamboanga City
Tel. & TeleFax No. (062) 992-7763



BID FORM

TO: CITY GOVERNMENT OF ZAI Address: Villalobos Street ZAMBOAN		Date:Invitation to Bid No: Goods 20-0907-0077R	
Gentlemen and/or Ladies:			
	e, we, the undersigned, offer to s	Bulletin Numbers Solicitation No. Goods 20-0907-0077R the receip upply/deliver/perform Other Transportation Equipment in conformity v	
	/total Did on	oror	
	`	nount in words and figures)	
·		hedule of Prices attached herewith and made part of this Bid.	
We undertake, if our Bi Requirements.	d is accepted, to deliver the go	ods in accordance with the delivery scheduled specified in the Schedule) 0
If our Bid is accepted, v Bidding Documents.	we undertake to provide a perfo	ormance security in the form, amounts, and within the times specified in	the
We agree to abide by thi us and may be accepted at any tin		specified in BDS provision for ITB Clause 17.1 and it shall remain binding uperiod.	001
Commissions or gratuities, if any, are listed below:	paid or to be paid by us to agent	is relating to this Bid, and to contract execution if we are awarded the contra	act
Name and Address of Agent	Amount and Currer	Purpose of Commission or gratuity	
(if none, state "None")			
Until a formal Contract i shall be binding upon us.	is prepared and executed, this I	Bid, together with your written acceptance thereof and your Notice of Awa	ard
We understand that you	are not bound to accept the lowe	est or any Bid you may receive.	
We certify/confirm that w	ve comply with the eligibility requi	irements as per ITB Clause 5 of the Bidding Documents.	
	• •	sole proprietorships, insert: as the owner and sole proprietor or authorize	
Equipment of the City Government	<u>ent of Zamboanga</u> [for partners	(Name of Bidder), has the full power as the ensuing contract, on the latter's behalf for the Other Transportate hips, corporations, cooperatives, or joint ventures, insert: is granted full power as the ensuing contract, on the latter's behalf for the Other Transportate hips, corporations, cooperatives, or joint ventures, insert: is granted full power as the ensuing contract, and the ensuing contract to the other power as the ensuing contract, on the latter's behalf for the Other Transportation.	tioi we
and authority by thesubmit the bid, and to sign and Government of Zamboanga.	d execute the ensuing contract	(Name of Bidder), to participate on the latter's behalf for Other Transportation Equipment of the O	ate <u>Cit</u> y
. We acknowledge that fa ground for the rejection of our bid.		age of this Bid Form, including the attached Schedule of Prices, shall be	e i
Dated this	day of	20	

REQUEST FOR QUOTATION

Name of Bidder ______ Invitation to Bid Number: Goods 20-0907-0077R Page 1 of 3

Exw por litem and all other costs incidental to delivery, per litem and all other costs incidental to delivery, per litem and all other costs incidental to delivery, per litem tem litem	delivered Fine posts incident and all other costs incidents and all other costs and all other costs and all other costs incidents and all other costs and all other co	1	2	3	4		5	6	7	8	9	10
Specifications: Body Type: Van Transmission Type: Manual Engine Size: 2.5L Displacement: 2.488cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: S-Speed Manual Drive Train: Rear wheel drive Max Output (HP): 129hp 2.3,200rpm Max Torque (nm): 356Nm @ 2,000rpm Fuel Type: Diesel Fuel Capacity: 65L Length: 5,230mm Width: 1,880mm Height: 2,285mm Wheel base: 2,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheel size: 15 inches *Inclusions The supplied Ambulance must conform with the DOH Standards which includes the following: The supplied Ambulance must conform with the DOH Standards which includes the following: Ambulance Body *An Ambulance wehicle shall be able to accommodate the patient, and the required number of personal and equipment **Nowyee mask No. 2,3 and 4 (for newborn, infant and adult) **Noverhead grab rail on the ceiling on top of the patient/stretcher 4. Nevertray ware source 5. Licensed Ambulances shall bear the following markings: 5. Licensed Ambulance body shall have the capitalized word "AMBULANCE" which is spelled out in reverse (mirror image). The height of each letter shall be no less than 10cm and the word shall be seen at least six (6) meters away. **Note: Each side of the ambulance body shall have the capitalized word "AMBULANCE" not less than 15 cm in height and prescribed DOH ambulance logo to be issued by the DOH once the application for a licensed is approved. No other signange or pictures outside of what is prescribed. (May opt to mount the blue "Star of" emblem on any part of the ambulance vehicle). 6. Adequate and stable cabinet's that can appropriately store the required equipment, medicines and supplies that must be included: A. Ventilation and Airway Equipment 1. Suction apparatus and accessories 8. Dortable oxygen and siren- public address system. List of Equipment, Medicines and Supplies that must be included: A. Ventilation and Airway Equipment 1. Suction apparatus and accessories 8. Portable oxygen equipment/installed 8. Portable oxygen equipm	Specifications: Body Type: Van Transmission Type: Manual Engine Size: 2.51. Displacement: 2,488cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: S-Speed Manual Drive Train: Rear wheel drive Max Output (HP): 129hp 2.3,200rpm Max Torque (nm): 356Nm @ 2,000rpm Fuel Type: Diesel Fuel Capacity: 651. Length: 5,230mm Wheelbase: 2,940mm Width: 1,880mm Height: 2,285mm Wheelbase: 9,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheel size: 15 inches "Inclusions The supplied Ambulance must conform with the DOH Standards which includes the following: Ambulance Body "An Ambulance welricle shall be able to accommodate the patient, and the required number of ways the required number of solves and the solve on any part of the ambulance shall be able to accommodate the patient, and the required number of solves and the required number o	Item	Description	1	Quar	ntity	Exw per item and Insurance other taxes payable if costs incidental to delivery, per and Insurance payable if costs incidental to delivery, per and Insurance other taxes payable if applicable, per item 5+6+7+8)					delivered Final Destination
Body Type: Van Transmission Type: Manual Engine Size: 2.5L Displacement: 2,488cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: S-Speed Manual Drive Train: Rear wheel drive Max Output (HP): 129hp 2.3,200pm Max Torque (nm): 356Nm @ 2,000tpm Max Torque (nm): 356Nm @ 2,000tpm Midth: 1,880mm Height: 2,285mm Wheelbase: 2,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheelbase: 2,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheel davies: 15 inches *Inclusions The supplied Ambulance must conform with the DOH Standards which includes the following Ambulance device shall be able to accommodate the patient, and the required number of personal and equipment 2. Electric (internal and external) supply bulbs 3. Overhead grab rail on the ceilling on top of the patient/stretcher 4. Inverter power source 5. Licensed Ambulance shall bear the following markings: a. Front: The reflectorized and capitalized word "AMBULANCE" which is spelled out in reverse (mirror image). The height of each letter shall be no less than 10cm and the word shall be seen at least six (6) meters away. b. Side: Each side of the ambulance body shall have the capitalized word "AMBULANCE" not less than 15 cm in height and prescribed DOH ambulance logo to be issued by the DOH once the application for a licensed is approved. No other signange or pictures outside of what is prescribed. (May opt to mount the blue "Star of" emblem on any part of the ambulance vehicle). 6. Adequate and stable cabinet's that can appropriately store the required equipment, medicines and supplies 7. Emergency warning light system and siren- public address system. List of Equipment, Medicines and Supplies that must be included: A. Ventilation and Airway Equipment 1. Suction apparatus and accessories a. Portable or mounted suction machine b. Flexible suction catheters, Fr. 5, 8,12 and 14 b. Optable oxygen equipment/installed a. Portable oxygen equipment/installed a. Portable oxygen equipment, infant and adult)	Body Type: Van Transmission Type: Manual Engine Size: 2.5L Displacement: 2,488cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: S-Speed Manual Drive Train: Rear wheel drive Max Output (HP): 129hp 2.3,200rpm Max Torque (mm): 356Nm @ 2,000rpm Max Torque (mm): 356Nm @ 2,000rpm Fuel Type: Diseal Length: 5,230mm Width: 1,880mm Height: 2,285mm Wheelbase: 2,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheel size: 15 inches "Inclusions The supplied Ambulance must conform with the DOH Standards which includes the following: Ambulance Body "Am Ambulance vehicle shall be able to accommodate the patient, and the required number of a (Protable oxygen tank with regulator 2. Electric (internal and external) supply bulbs 3. Overhead grab rail on the ceiling on top of the patient/stretcher 4. Inverter power source 5. Licensed Ambulances shall bear the following markings: a. Front: The reflectorized and capitalized word "AMBULANCE" which is spelled out in reverse (mirninge). The height of each letter shall be no less than 10cm and the word shall be seen at least six (6) meters away. b. Side: Each side of the ambulance body shall have the capitalized word "AMBULANCE" not less than 15 cm in height. c. Rear: The reflectorized and capitalized word "AMBULANCE" not less than 15 cm in height and prescribed DOH ambulance vehicle). No other signange or pictures outside of what is prescribed. (May opt to mount the blue "Star of" embler on any part of the ambulance vehicle). 6. Adequate and stable cabinet's that can appropriately store the required equipment, medicines and supplies 7. Emergency warming light system and siren- public address system. List of Equipment, Medicines and Supplies that must be included: A. Ventilation and Airway Equipment 1. Suction apparatus and accessories a. Portable oxygen tank with regulator 2. Portable oxygen tank with regulator	1.			04	Units						
ALDOGE, FOR OHIORAL AGE HE ALE VITA THE VITA HEALTH AND ORV.	Purpose: For official use in the Office of the City Health, this city.	Purpose	Body Type: Van Transmission Type: Manual Engine Size: 2.5L Displacement: 2,488cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: S-Speed Manual Drive Train: Rear wheel drive Max Output (HP): 129hp 2.3,200rpm Max Torque (nm): 356Nm @ 2,000tpm Fuel Type: Diesel Fuel Capacity: 65L Length: 5,230mm Width: 1,880mm Height: 2,285mm Wheelbase: 2,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheel size: 15 inches *Inclusions The supplied Ambulance must conform with the DOH Standambulance Body *An Ambulance vehicle shall be able to accommodate the papersonal and equipment			•	2. Electric (i 3. Overhead 4. Inverter p 5. Licensed a. Front: Tr image). The meters away b. Side: Eac 15 cm in hei c. Rear: The prescribed D No other sig on any part of 6. Adequate supplies 7. Emergence List of Equi A. Ventilati 1. Suction ap a. Portable b. Flexible 2. Portable of a. Portable c. Portable	nternal and extern grab rail on the coower source Ambulances shall he reflectorized an height of each letter. In the side of the ambulance looked and the polyamous or pictures of the ambulance	bear the follow d capitalized wo ter shall be no lead allowed the shall be no lead allowed by the shall be shall be shall be no lead allowed by the shall be shall be no lead allowed by the shall be no lead to the shall be no lead	the patient/stretcher ing markings: ord "AMBULANCE" ess than 10cm and the ll have the capitalized rd "AMBULANCE" n by the DOH once the a is prescribed. (May op- opriately store the requ- public address system that must be include	which is spelled out word shall be seen a word "AMBULAN ot less than 15 cm i application for a licot to mount the blue uired equipment, mon.	at least six (6) CE" not less than In height and lensed is approved. "Star of" emblem

Submitted by:______(Signature over Printed Name)

Name of the Representative of the Bidder:______ Date:_____
Position:______
Name of Bidder:______

REQUEST FOR QUOTATION

Name of Bidder ______ Invitation to Bid Number: Goods 20-0907-0077R Page 2 of 3

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of	Quantity	Unit price	Transportation	Sales and	Cost of Incidental	Total Price, per	Total Price
		origin		Exw per	and Insurance	other taxes	Services, if	unit (col	delivered Final
				item	and all other	payable if	applicable, per item	5+6+7+8)	Destination (O.1.4)
					costs incidental	Contract is			(Col.9) x (col 4)
					to delivery, per	awarded, per			
					item	item			
	3. Bag valve mask rescucitator with rebreather bag for adult,	pediatric and	l infant	E. Obstetri	ical Delivery Se	t			
	4. Endotracheal tubes (pedia and adult)			1. Sterile de	elivery kit				
	5. Airways (pedia and adult)			2. Wrap/bla	inket for newbor	m			
	6. Nebulizer with nebulizer kit			F. Infection					
	7. Laryngoscope set (pedia and adult)			1. Eve Prot	ection (full perin	heral glasses o	or goggles or face sh	ields)	
	B. Monitoring and/or Defibrillation			•	lask/Surgical Ma	•	8-88	/	
	1. Defibrillator				ile and sterile gl				
	2. Defibrillator pads- disposable			4. Jumpsuit	•	0,00			
	3. Sphygmomanometer, non mercurial Pediatric cuff and Adult cuff			5. Show co					
					vers nitizers or 70% a	laahal			
	4. Stethoscope (Pediatric and adult) C. Immobilization Devices								
	1. Rigid cervical collars (small, medium, large)				ontainer (punctu	re proor)			
	2. Firm padding or commercial head immobilization device			G. Miscella					
	3. Lower extremity traction devices (supporting slings, paddi	na traction s	tran)		lucose Meter wit				
	4. Upper and Lower extremity immobilization devices	ing, traction s	шар)		neter, non-mercu				
	a. Joint above and joint below fracture					emic scissors f	for cutting clothes, b	elts and boots	
	b. Rigid- support appropriate material			4. Alcohol					
	c. Resistant straps or cravats			5. Heat and	cold packs or th	neir equivalent			
	d. Orthopedic (scoop) stretcher / Long back board			6. Flahsligh	its with extra bat	teries and bull	os		
	D. Dressing and Bandages			7. Blankets	, sheets, linen or	paper			
	1. Sterile burn sheets			8. Pillows,	pillow case and	rowels			
	2. Traingular bandages 9. Bed pan								
	3. Sterile Dressings 10. Urinal								
	4. Sterile gauze rolls (various sizes) 11. Lubricating Jelly								
	5. Non-sterile elastic bandages (various sizes)				<i>G J</i>				
	6. Sterile occlusive dressing 3"x8" or larger								
	7. Adhesive tape roll								
Purpose	For official use in the Office of the City Health, this city.								

Submitted by:		
(Signature over Printed Name)		
Name of the Representative of the Bidder:	Date:	
Position:		
Name of Bidder:		

REQUEST FOR QUOTATION

Name of Bidder ______ Invitation to Bid Number: Goods 20-0907-0077R Page 3 of 3

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of	Quantity	Unit price	Transportation	Sales and	Cost of Incidental	Total Price, per	Total Price delivered Final
		origin		Exw per	and Insurance	other taxes	Services, if	unit (col	Destination
				item	and all other	payable if	applicable, per item	5+6+7+8)	(Col.9) x (col 4)
					costs incidental	Contract is			(,
					to delivery, per item	awarded, per item			
	H. Communication Equipment				item	item			
	1. Radio								
	2. Cellular Phone								
	I. Patient Transport								
	1. Ambulance wheeled cot with mounted cot fastening system	n							
	J. Injury Prevention Equipment								
	1. Fire Extinguisher								
	K. IV Therapy Supplies1. IV Administration Set (Macro/Micro)								
	2. IV Cannula (G19, 20, 21, 23, 25, 26)								
	3. Syringes (50ml, 30ml, 10ml, 3 ml, 1 ml)								
	J. Medicines / Fluids								
	Note:								
	Supplier must have a service facility in Zamboanga City.								
	Supplier must have a service facility in Zamboanga City.								
Purpose	For official use in the Office of the City Health , this city.								

Submitted by:		
(Signature over Printed Name)		
Name of the Representative of the Bidder:	Date:	
Position:		
Name of Bidder:		

SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as days/weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

site.	- · · ·				
Item Number	Description	Qua	intity	Total	Delivered, Days/Weeks/Months
1.	AMBULANCE WITH COMPLETE	04	Units		
	ACCESSORIES				
	Specifications:				
	Body Type: Van				
	Transmission Type: Manual				
	Engine Size: 2.5L				
	Displacement: 2,488cc				
	Number of Cylinders: 4				
	Number of Valves: 16				
	Transmission Category: S-Speed Manual				
	Drive Train: Rear wheel drive				
	Max Output (HP): 129hp 2.3,200rpm				
	Max Torque (nm): 356Nm @ 2,000tpm Fuel Type: Diesel				
	Fuel Capacity: 65L				
	Length: 5,230mm				
	Width: 1,880mm				
	Height: 2,285mm				
	Wheelbase: 2,940mm				
	Turning Circle: 11.8m				
	Ground Clearance: 195mm				
	Wheel size: 15 inches				
	*Inclusions				
	The supplied Ambulance must conform with the DOH				
	Standards which includes the following:				
	Ambulance Body				
	*An Ambulance vehicle shall be able to accommodate				
	the patient, and the required number of personal and				
	equipment				
	1. Safety non porous partition (separating the driver				
	and the body of the ambulance 2. Electric (internal and external) supply bulbs				
	3. Overhead grab rail on the ceiling on top of the				
	patient/stretcher				
	4. Inverter power source				
	5. Licensed Ambulances shall bear the following				
	markings:				
	a. Front: The reflectorized and capitalized word				
	"AMBULANCE" which is spelled out in reverse				
	(mirror image). The height of each letter shall be no				
	less than 10cm and the word shall be seen at least six				
	(6) meters away.				
	b. Side: Each side of the ambulance body shall have				
	the capitalized word "AMBULANCE" not less than 15				
	cm in height.				
	c. Rear: The reflectorized and capitalized word				
	"AMBULANCE" not less than 15 cm in height and prescribed DOH ambulance logo to be issued by the				
	DOH once the application for a licensed is approved.				
	No other signange or pictures outside of what is				
	prescribed. (May opt to mount the blue "Star of"				
	emblem on any part of the ambulance vehicle).				
	6. Adequate and stable cabinet's that can appropriately				
	store the required equipment, medicines and supplies				
	7. Emergency warning light system and siren- public				
	address system.				
	List of Equipment, Medicines and Supplies that				
	must be included:				
	A. Ventilation and Airway Equipment				
	Suction apparatus and accessories				
	a. Portable or mounted suction machine				
	b. Flexible suction catheters, Fr. 5,8,12 and 14				
	2. Portable oxygen equipment/installed				
	a. Portable oxygen tank with regulator				
	b. Oxygen mask No. 2,3 and 4 (for newborn, infant				
	and adult) 3. Rag valve mask rescucitator with rebreather had for				
	3. Bag valve mask rescucitator with rebreather bag for	<u> </u>	<u> </u>	1	

adult, pediatric and infant 4. Endotracheal tubes (pedia and adult) 5. Airways (pedia and adult) 6. Nebulizer with nebulizer kit 7. Laryngoscope set (pedia and adult) B. Monitoring and/or Defibrillation 1. Defibrillator 2. Defibrillator pads- disposable 3. Sphygmomanometer, non mercurial Pediatric cuff and Adult cuff 4. Stethoscope (Pediatric and adult) C. Immobilization Devices 1. Rigid cervical collars (small, medium, large) 2. Firm padding or commercial head immobilization device 3. Lower extremity traction devices (supporting slings, padding, traction strap) 4. Upper and Lower extremity immobilization devices a. Joint above and joint below fracture b. Rigid- support appropriate material c. Resistant straps or cravats d. Orthopedic (scoop) stretcher / Long back board **D.** Dressing and Bandages 1. Sterile burn sheets 2. Traingular bandages 3. Sterile Dressings 4. Sterile gauze rolls (various sizes) 5. Non-sterile elastic bandages (various sizes) 6. Sterile occlusive dressing 3"x8" or larger 7. Adhesive tape roll E. Obstetrical Delivery Set 1. Sterile delivery kit 2. Wrap/blanket for newborn F. Infection Control 1. Eye Protection (full peripheral glasses or goggles or face shields) 2. HEPA Mask/Surgical Masks 3. Non Sterile and sterile gloves 4. Jumpsuits or gowns 5. Show covers 6. Hand Sanitizers or 70% alcohol 7. Sharps container (puncture proof) G. Miscellaneous 1. Blood Glucose Meter with strips 2. Thermometer, non-mercurial 3. Heavy Bandage or parademic scissors for cutting clothes, belts and boots 4. Alcohol swabs 5. Heat and cold packs or their equivalent 6. Flahslights with extra batteries and bulbs 7. Blankets, sheets, linen or paper 8. Pillows, pillow case and rowels 9. Bed pan 10. Urinal 11. Lubricating Jelly **H.** Communication Equipment 1. Radio 2. Cellular Phone I. Patient Transport 1. Ambulance wheeled cot with mounted cot fastening

J. Injury Prevention Equipment

1. Fire Extinguisher

K. IV Therapy Supplies

- 1. IV Administration Set (Macro/Micro)
- 2. IV Cannula (G19, 20, 21, 23, 25, 26)
- 3. Syringes (50ml, 30ml, 10ml, 3 ml, 1 ml)

J. Medicines / Fluids

Note:

Supplier must have a service facility in Zamboanga

TECHNICAL SPECIFICATIONS

Indeters must state here either "Compy" or "Not Compy" guidents och in the relativishin parameters of each Specifications statisp the corresponding performance parameter of the "Own Compy" must be admitted to corresponding performance parameter of the "Own Compy" must be subjected by evidence in a Bidders shall admitted by evidence in a Bidders shall not be expected by evidence in a Bidders shall not be expected by evidence and the property of the property of the property of the property of the expected by the remarkative, samples, independent est data etc., as appropriate. A statement that is not supported to commission of the property of the p	Item	Description	BRAND NAME	Statement of Compliance Statement of Compliance
ACCESORIES Specifications: Body Type: Van Transmission Type: Manual Engine Size: 2-51. Displacement: 2.488cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: S-Speed Manual Drive Train: Rear wheel drive Max Output (HP): 129hp 2.3,200rpm Max Torque (nm): 356Nm @ 2,000tpm Fuel Type: Diseel Fuel Type: Diseel Fuel Capacity: 651. Length: 5,230mm Width: 1.880mm Height: 2,285mm Wheelbase: 2,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheel size: 15 inches *Inclusions The supplied Ambulance must conform with the DOH Standards which includes the following: Ambulance Body *An Ambulance vehicle shall be able to accommodate the patient, and the required number of personal and equipment 1. Safety non porous partition (separating the driver and the body of the ambulance 2. Electric (internal and external) supply bulbs 3. Overhead grab rail on the ceiling on top of the patient/stretcher 4. Inverter power source 5. Licensed Ambulances shall bear the following markings: a. Front: The reflectorized and capitalized word "AMBULANCE" which is spelled out in reverse (mirror image). The height of each letter shall be no				"Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause
(6) meters away. b. Side: Each side of the ambulance body shall have the capitalized word "AMBULANCE" not less than 15 cm in height. c. Rear: The reflectorized and capitalized word "AMBULANCE" not less than 15 cm in height and	1.	ACCESSORIES Specifications: Body Type: Van Transmission Type: Manual Engine Size: 2.5L Displacement: 2,488cc Number of Cylinders: 4 Number of Valves: 16 Transmission Category: S-Speed Manual Drive Train: Rear wheel drive Max Output (HP): 129hp 2.3,200rpm Max Torque (nm): 356Nm @ 2,000tpm Fuel Type: Diesel Fuel Capacity: 65L Length: 5,230mm Width: 1,880mm Height: 2,285mm Wheelbase: 2,940mm Turning Circle: 11.8m Ground Clearance: 195mm Wheel size: 15 inches *Inclusions The supplied Ambulance must conform with the DOH Standards which includes the following: Ambulance Body *An Ambulance vehicle shall be able to accommodate the patient, and the required number of personal and equipment 1. Safety non porous partition (separating the driver and the body of the ambulance 2. Electric (internal and external) supply bulbs 3. Overhead grab rail on the ceiling on top of the patient/stretcher 4. Inverter power source 5. Licensed Ambulances shall bear the following markings: a. Front: The reflectorized and capitalized word "AMBULANCE" which is spelled out in reverse (mirror image). The height of each letter shall be no less than 10cm and the word shall be seen at least six (6) meters away. b. Side: Each side of the ambulance body shall have the capitalized word "AMBULANCE" not less than 15 cm in height. c. Rear: The reflectorized and capitalized word		

DOH once the application for a licensed is approved.
No other signange or pictures outside of what is
prescribed. (May opt to mount the blue "Star of"
emblem on any part of the ambulance vehicle).
6. Adequate and stable cabinet's that can
appropriately store the required equipment

6. Adequate and stable cabinet's that can appropriately store the required equipment, medicines and supplies

7. Emergency warning light system and siren- public address system.

List of Equipment, Medicines and Supplies that must be included:

A. Ventilation and Airway Equipment

- 1. Suction apparatus and accessories
 - a. Portable or mounted suction machine
 - b. Flexible suction catheters, Fr. 5,8,12 and 14
- 2. Portable oxygen equipment/installed
 - a. Portable oxygen tank with regulator
- b. Oxygen mask No. 2,3 and 4 (for newborn, infant and adult)
- 3. Bag valve mask rescucitator with rebreather bag for adult, pediatric and infant
- 4. Endotracheal tubes (pedia and adult)
- 5. Airways (pedia and adult)
- 6. Nebulizer with nebulizer kit
- 7. Laryngoscope set (pedia and adult)

B. Monitoring and/or Defibrillation

- 1. Defibrillator
- 2. Defibrillator pads- disposable
- 3. Sphygmomanometer, non mercurial Pediatric cuff and Adult cuff
- 4. Stethoscope (Pediatric and adult)

C. Immobilization Devices

- 1. Rigid cervical collars (small, medium, large)
- 2. Firm padding or commercial head immobilization device
- 3. Lower extremity traction devices (supporting slings, padding, traction strap)
- 4. Upper and Lower extremity immobilization devices
 - a. Joint above and joint below fracture
 - b. Rigid- support appropriate material
 - c. Resistant straps or cravats
 - d. Orthopedic (scoop) stretcher / Long back board

D. Dressing and Bandages

- 1. Sterile burn sheets
- 2. Traingular bandages
- 3. Sterile Dressings
- 4. Sterile gauze rolls (various sizes)
- 5. Non-sterile elastic bandages (various sizes)
- 6. Sterile occlusive dressing 3"x8" or larger
- 7. Adhesive tape roll

E. Obstetrical Delivery Set

- 1. Sterile delivery kit
- 2. Wrap/blanket for newborn

F. Infection Control

- 1. Eye Protection (full peripheral glasses or goggles or face shields)
- 2. HEPA Mask/Surgical Masks
- 3. Non Sterile and sterile gloves
- 4. Jumpsuits or gowns
- 5. Show covers
- 6. Hand Sanitizers or 70% alcohol
- 7. Sharps container (puncture proof)

G. Miscellaneous

- 1. Blood Glucose Meter with strips
- 2. Thermometer, non-mercurial
- 3. Heavy Bandage or parademic scissors for cutting clothes, belts and boots
- 4. Alcohol swabs
- 5. Heat and cold packs or their equivalent
- 6. Flahslights with extra batteries and bulbs
- 7. Blankets, sheets, linen or paper
- 8. Pillows, pillow case and rowels
- 9. Bed pan
- 10. Urinal

11. Lubricating 3	Jelly	
H. Communica	tion Equipment	
1. Radio		
2. Cellular Phone	e	
I. Patient Trans	sport	
1. Ambulance w	heeled cot with mounted cot	
fastening system	1	
J. Injury Preve	ntion Equipment	
1. Fire Extinguis	sher	
K. IV Therapy	Supplies	
1. IV Administra	ation Set (Macro/Micro)	
2. IV Cannula (G19, 20, 21, 23, 25, 26)	
3. Syringes (50n	nl, 30ml, 10ml, 3 ml, 1 ml)	
J. Medicines / F	luids	
Note:		
Supplier must h	nave a service facility in	
Zamboanga Cit	ty.	

Signature over Printed Name

SCHEDULE OF WARRANTY

This serves as warranty for **Other Transportation Equipment** in the City Government of Zamboanga.

ITEM NO.	DESCRIPTION	QUANTITY		WARRANTY		
1	AMDIH ANCE WITH COMBI ETE	0.4	Units			
1.	AMBULANCE WITH COMPLETE ACCESSORIES	04	Units			
	Specifications:					
	Body Type: Van					
	Transmission Type: Manual					
	Engine Size: 2.5L Displacement: 2,488cc					
	Number of Cylinders: 4					
	Number of Valves: 16					
	Transmission Category: S-Speed Manual					
	Drive Train: Rear wheel drive					
	Max Output (HP): 129hp 2.3,200rpm Max Torque (nm): 356Nm @ 2,000tpm					
	Fuel Type: Diesel					
	Fuel Capacity: 65L					
	Length: 5,230mm					
	Width: 1,880mm					
	Height: 2,285mm Wheelbase: 2,940mm					
	Turning Circle: 11.8m					
	Ground Clearance: 195mm					
	Wheel size: 15 inches					
	*Inclusions The supplied Ambulance must conform with the DOH					
	The supplied Ambulance must conform with the DOH Standards which includes the following:					
	Ambulance Body					
	*An Ambulance vehicle shall be able to accommodate					
	the patient, and the required number of personal and					
	equipment					
	Safety non porous partition (separating the driver and the body of the ambulance					
	2. Electric (internal and external) supply bulbs					
	3. Overhead grab rail on the ceiling on top of the					
	patient/stretcher					
	Inverter power source Licensed Ambulances shall bear the following					
	markings:					
	a. Front: The reflectorized and capitalized word					
	"AMBULANCE" which is spelled out in reverse					
	(mirror image). The height of each letter shall be no					
	less than 10cm and the word shall be seen at least six (6) meters away.					
	b. Side: Each side of the ambulance body shall have					
	the capitalized word "AMBULANCE" not less than					
	15 cm in height.					
	c. Rear: The reflectorized and capitalized word					
	"AMBULANCE" not less than 15 cm in height and prescribed DOH ambulance logo to be issued by the					
	DOH once the application for a licensed is approved.					
	No other signange or pictures outside of what is					
	prescribed. (May opt to mount the blue "Star of"					
	emblem on any part of the ambulance vehicle). 6. Adequate and stable cabinet's that can appropriately					
	store the required equipment, medicines and supplies					
	7. Emergency warning light system and siren- public					
	address system.					
	List of Equipment, Medicines and Supplies that					
	must be included: A. Ventilation and Airway Equipment					
	1. Suction apparatus and accessories					
	a. Portable or mounted suction machine					
	b. Flexible suction catheters, Fr. 5,8,12 and 14					
	Portable oxygen equipment/installed a. Portable oxygen tank with regulator					
	b. Oxygen mask No. 2,3 and 4 (for newborn, infant					
	and adult)					
	3. Bag valve mask rescucitator with rebreather bag for					
	adult, pediatric and infant					
	4. Endotracheal tubes (pedia and adult) 5. Airways (pedia and adult)					
	5. Airways (pedia and adult) 6. Nebulizer with nebulizer kit					
	7. Laryngoscope set (pedia and adult)					
	B. Monitoring and/or Defibrillation					
	1. Defibrillator					
	2. Defibrillator pads- disposable					
	3. Sphygmomanometer, non mercurial					

Pediatric cuff and Adult cuff			
4. Stethoscope (Pediatric and adult)			
C. Immobilization Devices			
Rigid cervical collars (small, medium, large)			
2. Firm padding or commercial head immobilization			
device			
3. Lower extremity traction devices (supporting slings,			
padding, traction strap)			
4. Upper and Lower extremity immobilization devices			
a. Joint above and joint below fracture			
b. Rigid- support appropriate material			
c. Resistant straps or cravats			
d. Orthopedic (scoop) stretcher / Long back board			
D. Dressing and Bandages			
1. Sterile burn sheets			
2. Traingular bandages			
3. Sterile Dressings			
4. Sterile gauze rolls (various sizes)5. Non-sterile elastic bandages (various sizes)			
6. Sterile occlusive dressing 3"x8" or larger			
7. Adhesive tape roll			
E. Obstetrical Delivery Set			
Sterile delivery kit			
Wrap/blanket for newborn			
F. Infection Control			
1. Eye Protection (full peripheral glasses or goggles or			
face shields)			
2. HEPA Mask/Surgical Masks			
3. Non Sterile and sterile gloves			
4. Jumpsuits or gowns			
5. Show covers			
6. Hand Sanitizers or 70% alcohol			
7. Sharps container (puncture proof)			
G. Miscellaneous			
1. Blood Glucose Meter with strips			
2. Thermometer, non-mercurial			
3. Heavy Bandage or parademic scissors for cutting clothes, belts and boots			
4. Alcohol swabs			
5. Heat and cold packs or their equivalent			
6. Flahslights with extra batteries and bulbs			
7. Blankets, sheets, linen or paper			
8. Pillows, pillow case and rowels			
9. Bed pan			
10. Urinal			
11. Lubricating Jelly			
H. Communication Equipment			
1. Radio			
2. Cellular Phone			
I. Patient Transport			
1. Ambulance wheeled cot with mounted cot fastening			
system			
J. Injury Prevention Equipment 1. Fire Extinguisher			
K. IV Therapy Supplies			
1. IV Administration Set (Macro/Micro)			
2. IV Cannula (G19, 20, 21, 23, 25, 26)			
3. Syringes (50ml, 30ml, 10ml, 3 ml, 1 ml)			
J. Medicines / Fluids			
- · · · · · · · · · · · · · · · · · · ·			
Note:			
Supplier must have a service facility in Zamboanga			
City.			
	i	1	

Bid Data Sheet

ITB Clause			
1.1	The Procuring Entity is CITY GOVERNMENT OF ZAMBOANGA		
1.2			
1.2	The name of the Contract is: Other Transportation Equipment The identification number of the Contract is Goods 20-0907-0077R The lot (s) and reference is/are" [insert name]		
2	The funding Source is: The Government of the Philippines (GOP) through SB#01 FY 2019 in the amount of P8,000,000.00		
	The name of the Project is: Other Transportation Equipment		
3.1	No Further Instruction		
5.1	No Further Instruction		
5.2	None of the circumstances mentioned in the ITB Clause exists in this Project. Foreign bidders, except those falling under ITB Clause 5.2 (b), not participate in this project.		
5.4	The Bidder must have completed, within the period specified in the Invitation to Bid and ITB Clause 12. (a)(ii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.		
	For this purpose, similar contracts shall refer to: No further instructions.		
7	No further instructions.		
8.1	"Subcontracting is not allowed."		
	NOTE: The contractor shall undertake not less than 20% of the contracted works with its own resources.		
8.2	Not Applicable		
9.1	The Procuring Entity will hold a pre-bid conference for this Project on		
	September 15, 2020 at 10:00 A.M. Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) Conference Room, Villalobos Street, Zamboanga City		
10.1	The Procuring Entity's address is"		
	Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD) Villalobos St., Zone IV, Zamboanga City Mr. Ronald A. Vicete, OIC-BAC Secretariat Telefax: (062) 992-7763		
12.1	Nor further instructions.		
12.1 (a) (i)	No other acceptable proof of registration is recognized.		
12.1 (a) (iii)	The bidder's SLCC similar to the contract to be bid should have been completed within [state relevant period as provided in the Invitation to Bid] prior to the deadline for the submission and receipt of the bids.		
13.1 (b)	No further instructions.		
13.1 (c) 13.2	"No additional requirements"		
	The ABC is P8,000,000.00 . Any bid with a financial component exceeding this amount shall not be accepted. No incidental services are required.		
15.4 (a) (iv) 15.4 (b) (i)	"Not Applicable"		
15.4 (b) (ii)	"No incidental services are required"		
16.1 (b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.		
16.3	Not applicable.		
17.1	Bids will be valid until: 120 CALENDAR DAYS.		
18.1	The Bid security shall be a Bid Securing Declaration or any of the following forms and amounts:		
	1. The amount of not less than P160,000.00; if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or		
	 The amount of not less than P400,000.00; if bid security is in Surety bond; or Any combination of the foregoing proportionate to the share of form with respect to total amount of security. 		
18.2	The bid security shall be valid until 120 CALENDAR DAYS		
20.3	Each bidder shall submit one (1) original and Two (2) copies of the first and second components of its bid.		
21	The address for submission of bids is Office of the City Mayor-Procurement, Acquisition and Awards Division (PAAD), Villalobos Street, Zone IV Zamboanga City		
	The deadline for submission of bids is on or before September 28, 2020 at 10:00AM.		
24.1	The place of bid opening is Office of the City Mayor-Procurement, Acquisition and Award Division (PAAD) Conference Room, Villalobos Street, Zamboanga City.		
	The date and time of bid opening is September 28, 2020 at 10:00AM.		
24.2	No further instructions.		

28.3 (a)	Grouping and Evaluation of Lots –			
	Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a singl0 contract. For example: Option 1 – Each item to be evaluated and compared with other Bids separately and recommended for contract award separately.			
	Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract.			
	Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts.			
	Select one of the following paragraphs, delete the other.			
	Partial bid is not allowed. The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award.			
	Or			
	Partial bids are allowed. All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.			
	In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.			
	[Insert grouping of lots]			
28.3 (b)	Bid modification is not allowed.			
28.4	No further instructions.			
29.2(a)	"No additional requirement"			
29.2(b)	Only tax returns files and taxes paid through BIR Electronic Filing and Payment System (EFPS) shall be accepted.			
	Note: The latest income and business tax return are those within the last six months preceding the date of bid submission.			
29.2(d)	No further instructions.			
32.4(g)	No additional requirement"			

Special Conditions of Contract

GCC Clause				
1.1 (g)	The Pr	ocuring Entity is City Government of Zamboanga, City Hall, Zamboanga City.		
1.1 (i)	The Supplier is [to be inserted at the time of contract award].			
1.1 (j)	The Funding Source is: The Government of the Philippines (GOP) through SB#01 FY 2019 in the amount of P8,000,000			
1.1 (k)	The Project Site is: Zamboanga City			
5.1	"The Project sites are defined in Section VI. Schedule of Requirements" The Procuring Entity's address for Notices is:			
J. 1	Villalobos St, Zamboanga City Mr. Ronald A. Vicete, OIC BAC Secretariat Telefax: (062) 992-7763			
		plier's address for Notices is: [Insert address including, name of contact, fax and telephone number]		
6.2	List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract:			
	Delivery and Documents –			
	have the	oses of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shate meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The terms of this Contract shall be as follows:		
		ds Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered CGSO , Tetuan , Zamboanga City . In nce with INCOTERMS."		
		and solve the supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered [insert place of destination]. It is the supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."		
		of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The detailing and/or other documents to be furnished by the Supplier are as follows:		
	For Goods supplied from within the Philippines:			
	Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:			
	(i)	Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;		
	(ii)	Original and four copies delivery receipt/note, railway receipt, or truck receipt;		
	(iii)	Original Supplier's factory inspection report;		
	(iv)	Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;		
	(v)	Original and four copies of the certificate of origin (for imported Goods);		
	(vi)	Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;		
	(vii)	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and		
	(viii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.		
	For Goo	ds supplied from abroad:		
	Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:			
	(i)	Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;		
	(ii)	Original and four copies of the negotiable, clean shipped on board bill of lading marked "freight pre-paid" and five copies of the non negotiable bill of lading;		
	(iii)	Original Supplier's factory inspection report;		
	(iv)	Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;		
	(v)	Original and four copies of the certificate of origin (for imported Goods);		
	(vi)	Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site:		
	(vii)	Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and		
	(vii)	Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.		
	(4111)	1 our oppies of the invoice receipt of 1 topetty signed by the 1 tocuming Emity's representative at the Floject Site.		

For purposes of this Clause the Procuring Entity's Representative at the Project Site is [insert name(s)].

Incidental Services -

The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:

Select appropriate requirements and delete the rest.

- (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;
- (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;
- (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;
- (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and
- (e) training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

Select appropriate requirements and delete the rest.

- such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- (b) in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts required are listed in Section VI. Schedule of Requirements and the cost thereof are included in the Contract Price

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period of *Three (3) Months*.

Other spare parts and components shall be supplied as promptly as possible, but in any case within [insert appropriate time period] of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows:

Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

	A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.	
	Insurance –	
	The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.	
	Transportation –	
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.	
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philipp Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in be arranged by the Supplier, and related costs shall be included in the Contract Price.		
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> in accordance with GCC Clause 22.	
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.	
	Patent Rights –	
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.	
10.4	Not applicable.	
10.5	State "Payment using LC is not allowed."	
	or	
	If payment using LC is allowed, state "The amount of provisional sum isPesos (PhP)." [Note: The provisional sum shall not exceed 10% of the ABC, and shall form part of the ABC].	
13.4 (c)	No further Instructions.	
16.1	The inspections and tests that will be conducted are: Quality Inspection by Accounting, COA, CGSO and End User.	
17.3	If the Goods pertain to Expendable Supplies: Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.	
	If the Goods pertain to Non-expendable Supplies: One (1) year after acceptance by the Procuring Entity of the delivered Goods.	
17.4	The period for correction of defects in the warranty period is Seven (07) Calendar Days.	
21.1	State here "No additional provision." or, if the Supplier is a joint venture, "All partners to the joint venture shall be jointly and severally liable to the Procuring Entity."	

REPUBLIC OF THE PHILIPPINES) CITY OF) S.S xx	
BID-SECURING DECLARATION Invitation to Bid/Request for Expression of Interes	st No. ¹ : [Insert reference number]
To: City Government of Zamboanga, BIDS AND AWARDS COMMITTEE Villalobos Street, Zamboanga City	
I/We ¹¹ , the undersigned, declare that:	
I/We understand that: according to your cond Securing Declaration.	ditions, bids must be supported by a Bid Security, which may be in the form of Bid
of two (2) years upon receipt of your Blackli the Guidelines on the Use of Bid Securing procuring entity for the commission of act	ally disqualified from bidding for any contract with any procuring entity for a period isting order; and, (b) I/we will pay the applicable fine provided under Section 6 of Declaration, within fifteen (15) days from receipt of the written demand by the security of the enforcement of the bid securing declaration under Sections of the IRR of RA 9184; without prejudice to other legal action the government may
I/We understand that this Bid-Securing Declar	aration shall cease to be valid on the following circumstances:
(a) Upon expiration of the bid validity pe	eriod, or any extension thereof pursuant to your request;
timely file a request for reconsiderati	post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to on or (ii) I/we filed a waiver to avail of said right; the Lowest Calculated Responsive Bid, and I/we have furnished the performance
IN WITNESS WHEREOF, IWe have hereun	to set my/our hand/s this day of [month] [year] at [place of execution]. [Insert NAME OF BIDDER'S AUTHORIZED
personally known to me and was/were identified by m	REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant this day of [month] [year] at [place of execution], Philippines. Affiant/s is/are through competent evidence of identity as defined in the 2004 Rules on Notaria to me his/her [insert type of government identification card used], with his/he
Witness my hand and seal this day of [n	nonth] [year].
	NAME OF NOTARY PUBLIC Serial No. of Commission Notary Public for until Roll of Attorneys No [date issued], [place issued] IBP No [date issued], [place issued]
Doc. No Page No Book No	

Series of _____